State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-88 Relating to Certification of New Motor Vehicle Engines

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That Ford Motor Company 1977 model-year gasoline-powered engines in heavy-duty motor vehicles are certified for the engine family described below:

| <u>Family</u> | Engine Size CID | Engine Model | Exhaust Emission Control System |
|---------------|---------------------------|--------------|---|
| 351M/400 | (1CV7) 351 40 0 | 351M 400 | IMCO (Engine Modification), Exhaust Gas Recirculation, Air Injection, Oxidation Catalyst |

Section 43200, Part I, Division 26 of the California Health and Safety Code requires that the manufacturer affix a decal to the side window to the rear of the driver or, if there is no such window on the driver's side, to the windshield of the motor vehicle.

The following are the recommended values to be listed on the decal:

| Engine | HC + NO | CO | HC | NO ₂ |
|---------------|-----------|-----------|----------------|-----------------|
| Family | gm/bhp-hr | gm/bhp-hr | gm/bhp-hr | gm/bhp-hr |
| 351M/400 (1C) | 77) 5 | 13 | Not Applicable | Not Applicable |

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this _____ day of July, 1976.

G. C. Hass, Chief
Division of Vehicle
Emissions Control

| | | | | UTY GASOLINE ENGINES |
|---|---|---|---------------------------------------|---|
| | | | | r No. <u>A-10-88</u> Page 1 |
| Engine Family_ | 351M/400 (1CV) | <u>7) </u> | ingine (CID) | 351 Calibration 7-71J-F |
| Emission Contro | ol System <u>EG</u> | R/AI/OC | · · · · · · · · · · · · · · · · · · · | |
| Engine Models | Distributor Fuel System Type C,V,EI Type 1-2V | | EGR System | Tune-Up Specifications |
| | Mfgr. Part No. | Mfgr. Part No. | Part No. Service** | (1) Idle Speed (2) Basic Timing (3) Idle Mixture |
| 351M | Ford D7TE- 12127-NA | Ford D7TE- 9510-ANA | D7BE- 9D475-AA | (1) 650 RPM in Neutral (2) 12° BTDC @ 650 RPM in Neutral; Vacuum Disconnected |
| Comments | | | | |
| **No Service | | | | |
| Date of Issue July | 13, 1976 | | | |
| Abbreviation Distributor C-Centrifugal Adva | Exhaus nce Al-Air | t Emission Con Injection | ntrol System | * <u>Service</u> I-Inspect, repair, replace |

Distributor
C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
El-Electronic Ignition

Exhaust Emission Control Syste AI-Air Injection EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst

*Service I-Inspect, repair, replace as needed R-Replace

| 1077 100 000000 | | | | | |
|--------------------------------------|---|---|--|--|------------|
| | | | | JTY GASOLINE ENGINES | - |
| | | | | No. <u>A-10-88</u> Page 2 351 Calibration 7-72J- | |
| Emission Contro | | | mgine (cib) | 351 Calibration /-/2J- | <u>-RU</u> |
| Engine Models | Distributor Type C,V,EI Mfgr. Part No. | Fuel System Type 1-2V Mfgr. Part No. | EGR System Part No. Service** | Tune-Up Specifications (1) Idle Speed (2) Basic Timing (3) Idle Mixture | |
| 351M | Ford D7TE- 12127-NA | Ford D7TE- 9510-ARA | D7BE- 9D475-AA | (1) 650 RPM in Drive (2) 12° BTDC @ 650 RPM in Neutral; Vacuum Disconnected. | |
| <pre>Comments **No Service</pre> | | | ************************************** | | |
| Date of Issue Jul | y 13, 1976 | | | | |

Abbreviation
Distributor
C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
EI-Electronic Ignition

Exhaust Emission Control System AI-Air Injection EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst

The state of the s

*<u>Service</u>
I-Inspect, repair, replace
as needed
R-Replace

| ManufacturerF Engine Family | | | | r No. <u>A-10-88</u> Page <u>3</u> Calibration_7-74J- |
|--------------------------------|---|---|--------------------------------|---|
| Emission Contro | _ | | | 400 00 101 00 1011 <u>7-740-</u> |
| Engine Models | Distributor Type C,V,EI Mfgr. Part No. | Fuel System Type 1-2V Mfgr. Part No. | EGR System Part No. Service** | Tune-Up Specifications (1) Idle Speed (2) Basic Timing (3) Idle Mixture |
| 400 | Ford D7TE- 12127-PA | Ford D7TE- 9510-AZA | D7BE- 9D475-AA | (1) 650 RPM in Drive (2) 12° BTDC @ 650 RPM in Neutral; Vacuum Discon- nected |
| ments **No Service | | | | |

Abbreviation
Distributor
C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
El-Electronic Ignition

Exhaust Emission Control System AI-Air Injection EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst

*Service I-Inspect, repair, replace as needed R-Replace